
# ACT-01

# VAG Chain Tensioner Locking T handle



Material: PA66+30%GF W/M6x1.0 Screw black Finish

#### To lock the chain tensioner.

For AUDI - AHA, AMB, AMU, APB, ART, ATC, ATQ, AWM, AWN, AWP, BBD, BCY, BEA, B VW - AHA, APH, ATQ, AUG, AWM, AWP, AWV, BKF, BNU 1998-2006

Packing: Sliding card 100pcs/8/9/1.3'

VAG Chain Tensioner Locking T handle











Material: Cr-V steel Black finish

Size Length

Inner hæ310mm?

To removing and re-fitting copper washer in the injection engine.


**Packing: BMC** 

24pcs/14/15/1'

# ATR-513-131P

# 131PCS Thread repair and workshop kits





Material: Cr-V Steel FINISH:Black finish

Suitable for engines repair and broken thread. Ideal for thread resistance.

**Contents:** 


Thread Insert:Stainless steel.

25-M5x0.8x6.7mm5-Twist 25-M6x1.0x10.85m-mBreaking 25-M8x1.25x10.8n5m-screw 25-M10x1.5x13.5mfnstall	C	0	n	t	a	i	n	S	:					
2 5 - M 6 x 1 . 0 x 1 0 . 85m-mBreaking 2 5 - M 8 x 1 . 2 5 x 1 0 . 8 m5 m s c rew 2 5 - M 1 0 x 1 . 5 x 1 3 . 5 m m n s t a 1 1 1 0 - M 1 2 x 1 . 7 5 x 1 6 . 3 m m										X	6		. 7 m m 5 - T w i s t	Ċ
2 5 - M 8 x 1 . 2 5 x 1 0 . 8 m5 m s c r e w 2 5 - M 1 0 x 1 . 5 x 1 3 . 5 m m n s t a 1 1	2	5	-	M	6	X	1		0	X	1	0	).85m-mBreaking	g
	2	5	-	M	8	X	1		2	5	X	1	l O. 8 m5 m screw	
	2	5	-	M	1	0	X	1		5	X	1	13.5 m In s t a 1 1	6
1 -Hex key 2mm	1		_	Н	е	X		k	е	у		2	2 m m	

Packing: Steel case W/Tray 10set/20.5/21.5/1.2'

## E2868

3pcs Seam Buster & 90 degree angle seam buster & Double seam buster





# **SB-03**

# Seam Buster

Easily Separate Spot Welded or Bonded Panels

- · Save up to 15 minutes per panel replacement.
- For quarter panels, rockers and any other pinchweld.
- Sharpened on two edges. The sharp end allows for penetration between the panels and the side edge allows for side impact to drive the panels apart without damage.
- Cushioned handle absorbs shock.
- Super tough alloy steel.



Material: SCM440 steel.

Size Length

SB- 01 300mml

SB-02 90 degree 250mmL

SB-03 300mmL

**Packing: BMC** 

20pcs/20/21/1.2"

## AS-3814250-12P

Extra long Spark plug socket



Material: Cr-V Steel 3/8"Dr. Length:250mmL

Size:14mm x12PT

Feature:

One piece forged Cr-V Steel.

Special Thin wall

For Citr en C5 HPI, Peugeot 406 HPI, Mini one.

Packing: Polybag

50pcs/16/17/0.6"

# AS-3814250-12P

Extra long Spark plug socket





Material: Cr-Mo Steel FINISH:Black

Suitable for truck repair e.g. cylinder head bolts, balance wheels and vibration sho

Contents: 3/4"Dr. \*110L

2pcs Impact socket 12PT :17,19mm 4cs Impact E socket:E18,E20,E22,E24 SW 17- MAN/MB-LKW 400/420/500 SW19-MB-LKW 300/400/900 Actros E18-MAN Mod.M2000,Buses Motor D08 E20 –MAN F2000,F90,F8,Buses Motor D25/D28 E22-Gernal Truck E24-MAN

Packing: BMC 6set/20/21/1'

# APR-3PCS

# 3pcs Glow plug puller and reamer kit set



#### Contents:

- 1 Glow plug puller § 9
- 1 Reamer for 8mm glow plug ∮6 M1½x1.5P
- 1 Reamer for 10mm and 12mm glow plug  $\sqrt[6]{7}$  . 3M12x1.75P

#### Features :

-????? For removal of stubborn glow plugs.Reamers supplier for cleaning the glow plug apertures.

.

Packing: BMC 20sets/13/14/1.2'

## SP-645~647

# 3pcs Lock ring plier(External type)





Material: Cr-V(6140) Chrome plated matt finish HRC 44-48
P-645 Bent tip 90 For outside look rings (shafts), geatookes

P-646 Straight tips For outsi

P-647 Be Fot circlipis opin carden shafts a Sol Oper tookes on W T4 and T2

Design especially for easy removal and replacement of clip ring

Length:200mmL
Packing: Box

24set/19/20/1.3'

## BPP-01

# E-Z Pull Exhaust pipe Pat.



Material: Drop forged SCM440 steel

Design especially for providing pull out the exhaust pipe easily. Special design way for use with 17mm open wrench and 3/8"Dr. ratchet wrench to adjust bolt to out the pipe. Save your time

jour the pipe . Jave your time.

Size Length

2" to 2-1/4"

Suitable for:Exhaust pipe.

**Packing: BMC** 

5sets/20/21/0.8"

## **BP5-3PCS**

# 3pcs 1/2"Dr.Pentagon Socket



Material: CR-V Steel PH Black Finish

Bit material:S2

 Size
 Length

 1 / 2 " D r . \* 1 0 m m
 P e n t a g o n b i t
 5 6 m m
 f c

 1 / 2 " D r . \* 1 4 m m
 m a 1 e t y p e
 3 8 m m
 f

 1 / 2 " D r . \* 1 9 m m
 m a 1 e t y p e
 3 8 m m
 f

 Citroën, Peugeot, Renault

**Packing: BMC** 

40sets/14/15/1.2"

## SIST-6PCS

3/4"Dr.Impact bits B&S-XZN





Material: Cr-Mo Steel

Suitable for truck and car repair e.g. cylinder head bolts, balance wheels and vi shocks; with easy change replaceable bits (Bits are fixed by a screw and are exchangeable), allen key included..

#### **Contents:**

4pcs Impact bit:M12,M14,M16,M18 107mmL

1pcs Impact socket:3/4"Dr.\*H22

1pcs H4 Hex key

M12 Rear hubs Touran

M14 for 500series since 12/1995,900 since 06/1996, rear hubs L/T Transporter

M16 Rear hub on Sharan

M18 Rear Hubs on Golf

**Packing: BMC** 

10set/22/23/1'

#### SIST-16PCS

3/4"Dr. and 1" Dr.Impact bits and E sockets set





Material: Cr-Mo Steel

Suitable for truck repair e.g. cylinder head bolts, balance wheels and vibration s with easy change replaceable bits (Bits are fixed by a screw and are exchangeable), allen key included..

#### **Contents:**

9pcs Impact bit:T60,T70,T80,T90,T100,H17,H19,H22,H24 107mmL

4pcs Impact socket :E18,E20,E22,E24 107mmL 2pcs Impact socket:1"Dr.\*H22 ,3/4"Dr.\*H22

1pcs H4 Hex key Packing: BMC

3set/18/19/0.66'

## SBS - 3460-09

9PCS 3/4"DR. Impact bit socket





Material: Cr-Mo Steel FINISH:PH Black

Suitable for truck repair e.g. cylinder head bolts, balance wheels and vibration sho

Contents: 3/4"Dr. \*60L

7cs Impact Hex Bit socket:H14,H17,H19,H21,H22,H23,H24 2pcs Impact Spline socket:M16,M18 W/Tamperproof

**Packing: BMC** 

6set/18/19/1°

## SBS - 3460-6T

6PCS 3/4"DR. Impact bit socket



Material: Cr-Mo Steel FINISH: Chrome plated

Suitable for truck repair e.g. cylinder head bolts, balance wheels and vibration sho

Contents: 3/4"Dr. \*60L

4cs Impact Torx Bit socket:T70,T80,T90,T100

2pcs Impact Spline socket:M16,M18 W/Tamperproof

Packing: BMC 10set/22/23/1'

## SBS - 3460-06H

6PCS 3/4"DR. Impact bit socket



Material: Cr-Mo Steel FINISH: Chrome plated

Suitable for truck repair e.g. cylinder head bolts, balance wheels and vibration sho

**Contents:** 

3/4"Dr. \*60L

6cs Impact Hex Bit socket:H14,H17,H19,H21,H22,H23

Packing: Steel case W/EVA 10set/22/23/1'

# EAW-01~05

5pcs Plastic assembly wedge set/Bodywork tools







#### Material:PA6+GF 30%

Item no. Length(LxW)

AW-01 Assembly wedge"Uni" 190x30mm

AW-02 Assembly wedge with felt surface 250x20mm

AW-03 Assembly wedge "Spiky" 250x20mm

AW-04 Assembly wedge"Uni wide" 190x60mm

AW-05 Assembly wedge "Special level" 230x30mm


For fast and easy removing of mouldings and door covering, application of plugs and plastic clips, avoids damage of lacquered surfaces, plastic and metal parts; AW-02 one side pointed, one with felt surface to fix plastic panels, cross section approx 20x20mm

Packing: color box

40set/11/12/1.3°

#### **AARF-36PCS**

Pat. Pending36pcs Folding type Radio Removal tool se





P-01 Mercedes-Benz ,BECKER, VW, AUDI P-12 Pioneer & JVC P-02Mercedes-Benz ,BECKER ,Porsche P-13 Panasonic 2006

P-03 VW

P-04 Skoda New

P-05 Becker New

P-O7 PK-Clarion

P-08 RK-Kenwood 01

P-09 Sony

P-10 RK-Kenwood

P-11-1 Flat, Bravo, Brava

Feature:

1. Universal tool for installing and remov


2. (All applications in one tool)

3. Push button design to control holding t

Packing: Pouch 40sets/ctn/14/15/1.2'

#### ACE-70-2





## AIP-3PCS



#### Injector puller with slide hammer

Material: Cr-Mo Steel Total length:380mmL Slide hammer:0.7KGS


#### **Feature:**

For removing of the seized injectors from the cylinder head.the special profile of the head fits around the injector, allowing easy and damage free removal. The hea For Mercedes CDI engines OM 611,612,613 etc.


**Packing: BMC** 


10sets/18/19/1.2"

EL, BFM



curve







ocks;






o pull



bration







shocks;





ocks;



ocks;



side









contact sizes.

contact sizes.







2000



ad and slide spindle can be used separately.